







單位 UNIT : mm



安裝尺寸 Dimensions

單位 UNIT : mm

M02-※E






型式號碼 Model	配管尺寸 PIPING THREADS	D	E	N	M	L	重量 (kg) WEIGHT
M02-2E	1	PT3/8"	M5 × 0.8P	2	53	141	4.6
	2	NPT3/8"	#10-24UNC				
M02-3E	1	PT3/8"	M5 × 0.8P	3	106	194	6.3
	2	NPT3/8"	#10-24UNC				
M02-4E	1	PT3/8"	M5 × 0.8P	4	159	247	8.1
	2	NPT3/8"	#10-24UNC				
M02-5E	1	PT3/8"	M5 × 0.8P	5	212	300	10.0
	2	NPT3/8"	#10-24UNC				
M02-6E	1	PT3/8"	M5 × 0.8P	6	250	310	13.0
	2	NPT3/8"	#10-24UNC				

單位 UNIT : mm

Technical drawing of a square plate with the following specifications:

- Overall dimensions: 110 (width) x 100 (height).
- Inner square dimensions: 90 (width) x 54 (height).
- Corner holes: 4- $\Phi 13L$ (4 holes, diameter 13, length L).
- Central holes: 4- $\Phi 11$ (4 holes, diameter 11).
- Bottom center hole: 沉孔 $\Phi 17.5$ 深 12 (counterbore hole, diameter 17.5, depth 12).
- Dimensions for hole placement:
 - Horizontal: 10 (from left edge to first corner hole), 46 (from left edge to central hole), 32 (from central hole to right edge).
 - Vertical: 10 (from bottom edge to first corner hole), 46 (from bottom edge to central hole), 18 (from central hole to top edge).
- Labels: T, A, P, B (likely identifying specific holes or features).




型式號碼 Model	配管尺寸 PIPING THREADS	D	E	E	重量 (kg) WEIGHT
M03-1E	1	PT2/4"	PT1/2"	M6*1P	6.4
	2	NPT3/4"	NPT1/2"	1/4-20UNC	

安裝尺寸 Dimensions

單位 UNIT : mm

M03-※E



型式號碼 Model	c	D	E	N	M	L	重量 (kg) WEIGHT
M03-2E	PT3/4"	PT1/2"	M6*1P	2	165	185	13.8
	NPT3/4"	NPT1/2"	1/4-20UNC				
M03-3E	PT3/4"	PT1/2"	M6*1P	3	240	260	19.5
	NPT3/4"	NPT1/2"	1/4-20UNC				
M03-4E	PT3/4"	PT1/2"	M6*1P	4	315	335	25.0
	NPT3/4"	NPT1/2"	1/4-20UNC				
M03-5E	PT3/4"	PT1/2"	M6*1P	5	390	410	31.0
	NPT3/4"	NPT1/2"	1/4-20UNC				